

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

March 2025 Surface Water Quality Monitoring

LIMITS

ANALYTE							Oil & Grease	pH	Total P	TSS
	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N				
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28 – No discharge during March therefore no monitoring required

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

February 2025 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
19/2/2025	<0.010	6	35	<0.010	<0.1	5.4	<5	7.4	0.1	<5	N

[illegible]

[illegible]

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

October 2024 Surface Water Quality Monitoring

LIMITS

ANALYTE							Oil & Grease	pH	Total P	TSS
	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N				
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28 – No discharge during October therefore no monitoring required

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for October as water was not discharging.											

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for September as water was not discharging.											

[illegible]

[illegible]

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for June as water was not discharging.											

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for Mav as water was not discharging.											

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for April as water was not discharging.											

ENVIRONMENT PROTECTION LICENCE 3035

March 2023 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
1/03/2023	<0.010	3	5	<0.010	<0.1	8.6	<5	7.57	0.06	8	N

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for February as water was not discharging.											

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
No samples taken for January as water was not discharging.											

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

November 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
3/11/2022	<0.010	<2	35	<0.010	<0.1	6.9	<5	7.15	0.07	36	N
9/11/2022	<0.010	6	50	<0.010	<0.1	8.6	<5	7.9	0.09	6	N
16/11/2022	<0.010	3	40	<0.010	<0.1	7.2	<5	7.71	0.05	16	N
23/11/2022	<0.010	6	50	<0.010	<0.1	7	<5	7.75	0.07	<5	N

ENVIRONMENT PROTECTION LICENCE 3035

October 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
11/10/2022	<0.010	8	35	<0.010	<0.1	8.9	<5	7.49	0.18	23	N
25/10/2022	<0.010	4	30	<0.010	<0.1	3.8	<5	7.2	0.03	5	N

ENVIRONMENT PROTECTION LICENCE 3035

September 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
6/09/2022	<0.010	7	30	<0.010	0.2	9.8	<5	7.95	0.06	6	N
27/09/2022	<0.010	7	30	<0.010	0.2	11.7	<5	7.61	0.05	<5	Y

ENVIRONMENT PROTECTION LICENCE 3035

June 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
7/06/2022	<0.010	<2	30	<0.010	<0.1	6.9	6	7.43	0.37	40	N

ENVIRONMENT PROTECTION LICENCE 3035

August 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
02/08/2022	<0.010	8	30	<0.010	<0.1	8.9	6	7.82	0.04	26	N
22/08/2022	<0.010	9	30	<0.010	<0.1	9.7	<5	7.68	0.09	27	N

ENVIRONMENT PROTECTION LICENCE 3035

JULY 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
13/07/2022	<0.010	6	10	<0.010	<0.1	6.3	6	7.55	0.05	<5	N

ENVIRONMENT PROTECTION LICENCE 3035

May 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
10/05/2022	<0.010	5	40	<0.010	<0.1	7.3	<5	7.82	0.04	7	N
23/05/2022	<0.010	3	40	<0.010	<0.1	7.1	<5	7.85	0.03	8	N
31/05/2022	<0.010	8	30	<0.010	<0.1	7.9	<5	7.28	0.12	29	N

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

March 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
8/03/2022	<0.010	5	5	<0.010	<0.1	6.6	5	7.68	0.07	14	N

ENVIRONMENT PROTECTION LICENCE 3035

February 2022 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
6/01/2022	<0.010	<2	30	<0.010	<0.1	7.3	<5	7.89	0.04	14	N
12/01/2022	<0.010	3	30	<0.010	<0.1	6	<5	7.3	0.04	10	N
25/01/2022	<0.010	<2	30	<0.010	<0.1	6.4	<5	7.48	0.12	14	N

[illegible]

[illegible]

ENVIRONMENT PROTECTION LICENCE 3035

NOVEMBER 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS HPP Swale

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
3/11/2021	<0.010	<2	100	<0.010	<0.1	1.6	17	7.73	0.05	27	Y
9/11/2021	<0.010	4	110	<0.010	<0.1	1.7	<5	7.38	0.06	8	N
17/11/2021	<0.010	<2	75	<0.010	<0.1	1.2	<5	8.07	0.04	<5	N
23/11/2021	<0.010	4	65	<0.010	0.1	1.3	<5	7.86	0.06	6	N
30/11/2021	<0.010	2	100	<0.010	<0.1	1.3	<5	7.70	0.06	7	N

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
3/11/2021	<0.010	4	35	<0.010	<0.1	8.3	<5	7.32	0.08	20	
9/11/2021	<0.010	4	25	<0.010	<0.1	6.9	<5	7.82	0.1	21	
23/11/2021	<0.010	6	30	<0.010	<0.1	5.9	<5	7.47	0.09	<5	
30/11/2021	<0.010	4	35	<0.010	<0.1	5.7	<5	7.5	0.02	6	

ENVIRONMENT PROTECTION LICENCE 3035

OCTOBER 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS HPP Swale

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
6/10/2021	<0.010	2	60	<0.010	<0.1	1.1	<5	7.89	0.02	9	N
11/10/2021	<0.010	9	70	<0.010	<0.1	1.3	<5	7.27	0.05	11	N
20/10/2021	<0.010	<2	80	<0.010	<0.1	1.7	<5	8.05	0.02	8	N
27/10/2021	<0.010	<2	90	<0.010	<0.1	0.4	<5	7.92	0.03	14	N

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
11/10/2021	<0.010	7	35	<0.010	<0.1	6.5	<5	6.75	0.06	15	N
20/10/2021	<0.010	6	35	<0.010	<0.1	8.6	<5	7.81	0.04	7	Y

ENVIRONMENT PROTECTION LICENCE 3035

AUGUST 2021 Surface Water Quality Monitoring**LIMITS**

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA Point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
4/08/21	<0.010	6	35	<0.010	<0.1	2.6	<5	6.88	0.16	135	Y
11/08/21	<0.010	<2	35	<0.010	<0.1	2.8	<5	7.41	0.1	50	N
18/08/21	<0.010	<2	30	<0.010	0.2	2.8	<5	7.61	0.04	37	N
23/08/2021	<0.001	3	30	<0.001	<0.1	3.1	<5	7.53	0.06	20	N

ENVIRONMENT PROTECTION LICENCE 3035

SEPTEMBER 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA Point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
------	--------	-----	--------	----------	------	---------	--------------	----	---------	-----	----------------

Nil off-site discharge during September 2021

ENVIRONMENT PROTECTION LICENCE 3035

JULY 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA Point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
6/07/21	<0.010	5	30	<0.010	<0.1	3.9	<5	7.54	0.1	28	N
21/07/21	<0.010	9	35	<0.010	<0.1	4.9	7	7.0	0.19	688	Y
28/07/21	<0.010	4	30	<0.010	<0.1	3.1	<5	7.22	0.23	238	Y

Nil discharge from Point 1 during July 2021

ENVIRONMENT PROTECTION LICENCE 3035

JUNE 2021 Surface Water Quality Monitoring**LIMITS**

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

Nil discharge from Point 1 or Point 28 during June 2021

ENVIRONMENT PROTECTION LICENCE 3035

MAY 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 1

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
5/05/21	<0.010	6	18	<0.010	0.2	2.3	<5	7.38	0.23	290	Y

RESULTS EPA point 28

Nil discharge from Point 28 during May 2021

ENVIRONMENT PROTECTION LICENCE 3035

APRIL 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 1

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
14/04/21	<0.010	<2	40	<0.010	<0.1	1	<5	8.14	0.04	20	N
20/04/21	<0.010	<2	20	<0.010	<0.1	1	<5	6.59	0.02	15	N
28/04/21	<0.010	2	14	<0.010	0.1	1.1	<5	7.9	0.02	22	N

RESULTS EPA point 28

Nil discharge from Point 28 during April 2021

ENVIRONMENT PROTECTION LICENCE 3035

MARCH 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 1

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
4/03/21	<0.010	<2	30	<0.010	<0.1	1	<5	7.95	0.05	36	N
9/03/21	<0.010	<2	25	<0.010	<0.1	0.8	<5	7.81	0.06	43	N
16/03/21	<0.010	<2	125	<0.010	<0.1	0.9	15	7.95	<0.05	23	Y
24/03/21	<0.001	<2	150	<0.001	<0.1	1.6	<5	7.6	0.007	22	N
31/03/21	<0.001	<2	100	<0.001	<0.1	1.8	<5	7.98	0.09	12	N

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
16/03/21	<0.010	5	70	<0.010	<0.1	8.3	11	7.79	0.14	34	Y
24/03/21	<0.001	9	75	<0.001	<0.1	5.2	<5	7.54	0.14	54	Y
31/03/21	<0.001	4	75	<0.001	<0.1	6.4	<5	7.89	0.14	9	N

ENVIRONMENT PROTECTION LICENCE 3035

FEBRUARY 2021 Surface Water Quality Monitoring

LIMITS

ANALYTE	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS
Units	µg/L	mg/L	Hazen	µg/L	mg/L	mg/L	mg/L	pH	mg/L	mg/L
100 percentile concentration limit	0.3	20	160	0.3	0.5	10	10	6.5 - 8.5	0.3	50
50 percentile concentration limit			80							
Frequency of Sampling	Weekly during any discharge									

RESULTS EPA point 1

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
1/02/21	<0.010	5	40	<0.010	<0.1	1.5	<5	7.68	0.05	27	N
10/02/21	<0.010	3	30	<0.010	<0.1	1.1	<5	7.44	0.06	40	N
17/02/21	<0.010	<2	50	<0.010	<0.1	0.9	<5	7.45	0.07	48	N
24/02/21	<0.001	2	30	<0.001	<0.1	2.3	<5	7.55	0.24	656	Y

RESULTS EPA point 28

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
2/02/21	<0.010	16	30	<0.010	<0.1	4.8	<5	7.53	0.06	22	N
10/02/21	<0.001	6	60	<0.001	<0.1	11.9	<5	7.9	0.08	12	Y
17/02/21	<0.001	4	70	<0.001	<0.1	15.8	7	7.4	0.13	34	Y
24/02/21	<0.001	2	70	<0.001	<0.1	15.5	<5	7.93	0.07	12	Y

Date	Aldrin	BOD	Colour	Dieldrin	MBAS	Total N	Oil & Grease	pH	Total P	TSS	Exceedance Y/N
4/01/21	<0.010	2	55	<0.010	<0.1	3.8	<5	7.71	0.04	23	N
No further samples were taken from this point as there was nil discharge											